



Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Pewter figures patina - grey

· Article number: 4249376TGK · UFI: 1V44-V0T1-900V-Q4MJ

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Material for hobby and creative art

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: CREARTEC trend-design-gmbh Lauenbühlstr. 59 D-88161 LINDENBERG DEUTSCHLAND

Further information obtainable from:

Product safety department info@creartec.info

· 1.4 Emergency telephone number:

During opening hours: +49 8381 80740-0

Mon -Thu from 08.30 to 16.30 and Fri from 08.30 to 12.30

Emergency calls: +49 151 44613864 (24h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

sulphuric acid nitric acid copper(II) sulfate, pentahydrate hydrogen chloride

· Hazard statements

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

Trade name: Pewter figures patina - grey

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		0.5 (00)
CAS: 7631-99-4 EINECS: 231-554-3	Sodium nitrate OX. Sol. 2, H272; Eye Irrit. 2, H319	> 2.5 – < 10%
CAS: 19004-19-4 EC number: 606-197-5	Copper (II) Nitrate Ox. Sol. 2, H272; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	> 2.5 – < 10%
CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8	sulphuric acid Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	> 2.5 - < 5%
CAS: 7697-37-2 EINECS: 231-714-2 Index number: 007-030-00-3	nitric acid Ox. Liq. 3, H272; ♦ Acute Tox. 3, H331; ♦ Skin Corr. 1A, H314 Specific concentration limits: Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	> 2.5 - < 5%
CAS: 7758-99-8 EINECS: 231-847-6 Index number: 029-023-00-4	copper(II) sulfate, pentahydrate ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ↑ Acute Tox. 4, H302	≥ 1 – < 2.5%
CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2	hydrogen chloride Skin Corr. 1B, H314; Eye Dam. 1, H318; ↑ Acute Tox. 4, H302; STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	≤ 2.5%
CAS: 7446-08-4 EINECS: 231-194-7 Index number: 034-002-00-8	selenium dioxide Acute Tox. 3, H301; Acute Tox. 3, H331; STOT RE 2, H373;	≥ 0.25 - < 2.5

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 3)

Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

Trade name: Pewter figures patina - grey

(Contd. of page 2)

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7664-93-9 sulphuric acid

IOELV Long-term value: 0.05 mg/m3

7647-01-0 hydrogen chloride

IOELV Short-term value: 15 mg/m³, 10 ppm

Long-term value: 8 mg/m³, 5 ppm

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

Trade name: Pewter figures patina - grey

(Contd. of page 3)

- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colour: Blue

Odour: Nearly odourlessOdour threshold: Not determined.

• **pH-value at 20 °C:** 0 – 2

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** ≥ 100 °C

Flash point: Not applicable.
 Flammability (solid, gas): Not applicable.
 Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.

Vapour pressure at 20 °C: ≤ 23 hPa

(Contd. on page 5)

Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

Trade name: Pewter figures patina - grey

(Contd. of page 4)

Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

• Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

Trade name: Pewter figures patina - grey

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 5)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue	
11 01 05*	pickling acids
HP8	Corrosive
HP14	Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. · ADR (SULPHURIC ACID, HYDROCHLORIC ACID),

UN3264

- **ENVIRONMENTALLY HAZARDOUS**
- · IMDG CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 - (SULPHURIC ACID, HYDROCHLORIC ACID), MARINE **POLLUTANT**
- ·IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
- (SULPHURIC ACID, HYDROCHLORIC ACID) · 14.3 Transport hazard class(es)
- · ADR, IMDG





· Class 8 Corrosive substances.

·Label 8

· IATA



· Class 8 Corrosive substances.

· Label

· 14.4 Packing group

· ADR, IMDG, IATA

Product contains environmentally hazardous substances: · 14.5 Environmental hazards:

8

copper(II) sulfate, pentahydrate

· Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B · Segregation groups (SGG1) Acids

Stowage Category

· Stowage Code SW2 Clear of living quarters.

· Segregation Code SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

· 14.7 Transport in bulk according to Annex II of Marpol

and the IBC Code Not applicable.

(Contd. on page 7)

Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

Trade name: Pewter figures patina - grey

(Contd. of page 6)

· Transport/Additional information:

· ADR

· Limited quantities (LQ) Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category · Tunnel restriction code Ε

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(SULPHURIC ACID, HYDROCHLORIC ACID), 8, III,

ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

7631-99-4 Sodium nitrate

Regulation (EC) No 273/2004 on drug precursors

7664-93-9 sulphuric acid 3 7647-01-0 hydrogen chloride 3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

7664-93-9 sulphuric acid 3 7647-01-0 hydrogen chloride 3

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 8)

Printing date 09.12.2022 Version number 1.04 Revision: 09.12.2022

Trade name: Pewter figures patina - grey

(Contd. of page 7)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing SDS: Product safety department
- · Contact: Dr. B. Gangnus
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids - Category 3

Ox. Sol. 2: Oxidizing solids — Category 2 Acute Tox. 4: Acute toxicity — Category 4 Acute Tox. 3: Acute toxicity — Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Regulation (EC) No. 1272/2008 on the classification, labeling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830 / EU.

Transport of dangerous goods by road, rail or inland waterways (ADR / RID / ADN).

International Code for the Transport of Dangerous Goods by Sea Ships (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

* Data compared to the previous version altered.